

Detailed History for Fire Event #S183271612 As of 2/08/2019 11:30:55

Output for:

Priority:E1 **Signal:**69E06 - RESIDENTIAL(SINGLE)

Location:13802 ROCKRIDGE RD, LKN btwn JEH RD and STONE RIDGE LN

Created:	11/23/2018 19:06:54	CTR42	8420
Entered:	11/23/2018 19:07:31	CTR42	8420
Dispatch:	11/23/2018 19:08:41	CDP7	7890
Enroute:	11/23/2018 19:08:51	PS0210	F25684
Onscene:	11/23/2018 19:22:47	CDP1	7263
Control:	11/24/2018 03:16:27	CDP1	7263
Closed:	11/24/2018 07:48:11	CCP13	7522

ICUnit:BC001 **PrimeUnit:**BR006 **Dispo:**COM **Signal:**69E06 - RESIDENTIAL(SINGLE)

Agency:PCFR **District:**TC8(WEST) **Zone:**120 **RD:**1131A

Case #:FS180087368

XREF: :: Sheriff **Event:** #S183271693 **Signal:**S7

Agency:PCSO **Detail**

19:06:54	CREATE	8420/CTR42	Location: 13802 ROCKRIDGE RD, LKN Signal: 69 Phone: REDACTED District: WEST Beat: 1131A SigDesc: STRUCTURE FIRE LocDesc: btwn JEH RD and STONE RIDGE LN Priority: PA Response: 3EBMD Agency: PCFR LocType: S
19:06:54	ALI		E911Phne: REDACTED E911Add: 14600 ROCKRIDGE RD SW SEC, XX E911Src: WRLS

19:07:31	ENTRY		
19:07:31	-NPREMS		Comment: (NONE)
19:07:38	SELECT	7890/CDP7	
19:07:55	CHANGE	8420/CTR42	Name: None--> REDACTED Contact?: None--> REDACTED
19:08:01	PROQA		Case#: 4223034 Comment: CC text: Structure Fire Caller Statement: REPORTED BUILDING/STRUCTURE FIRE
19:08:25	PROQA		Case#: 4223034 Classify: 69E06 Comment: CAD Response: EN/BC/ALS Dispatch Code: 69E06 (Residential (single)) 1. The incident involves a single-family residential structure.
19:08:27	CHANGE		Signal: 69-->69E06 Priority: PA-->E1 SigDesc: STRUCTURE FIRE-->RESIDENTIAL(SINGLE) Comment: Fire ProQA recommends dispatch at this time
19:08:41	DISP	7890/CDP7	EN006 Operator: F7100 F7390 F18802 OperNames: WALSH,DEREK; GARTRELL,MARY; DURANTE,ALEXANDER
19:08:41	DISP		EN039 Operator: F18821 F23251 F26596 F18418 F4851 OperNames: MOLNAR,ANDREW; BROWN,MATTHEW; GREEN,TIMOTHY; QUINN,COURTNEY R; FORBES,ALFRED
19:08:41	DISP		SQ007 Operator: F5019 F20852 F13421 OperNames: PARNELL,GARRETT; MUSICK.JUSTIN; SHEEHAN,BRITNEY
19:08:41	DISP		BC001 Operator: F0838 OperNames: GILLEY,JEREMIAH
19:08:41	DISP		MR006 Operator: F26731 F26728 F22403 F25642 F25684 OperNames: SYDENSTRICKER,JONATHAN; ABELARD,CARL; MUTIS,KELLY; STEPHENSON,PATRICK; WINTZ,DANIEL
19:08:41	DISP		BC003 Operator: F4710 OperNames: GOROKHOV,YEVGENIY
19:08:41	-PRIU		EN006
19:08:41	-CASE		EN006 Case#: FS180087368
19:08:41	-HOLD		
19:08:51	*ENRTE	F25684/PS0210	MR006
19:08:54	PROQA	8420/CTR42	Case#: 4223034 Classify: 69E06 Comment: CAD Response: EN/BC/ALS Reconfigure Code: 69E06 (Residential (single)) Suffix: R (Trapped person(s)) 2. A single-level structure is involved. 3. Someone is trapped inside the structure.
19:08:59	*ENRTE	F5019/PS0186	SQ007
19:09:00	CHANGE	8420/CTR42	Comment: Fire ProQA reconfigured classification
19:09:11	*ENRTE	F18418/PS0067	EN039

19:09:15	REDIR	7890/CDP7	District: WEST-->TC8
19:10:05	ENRTE	7263/CDP1	EN006
19:10:07	PROQA	8420/CTR42	Case#: 4223034 Classify: 69E06 Comment: 4. One person is trapped. 5. The location is: living room 6. The exact location of the fire is: poss roof 7. No one is reported to be injured.
19:10:09	CHANGE		District: TC8-->WEST Comment: Fire ProQA Key Questions
19:10:13	*ENRTE	F4710/PS0207	BC003
19:10:32	INFO	8420/CTR42	Comment: EITHER BACK DOOR OR FRONT DOOR
19:10:35	REDIR	7890/CDP7	District: WEST-->TC8
19:10:55	INFO	8420/CTR42	Comment: PT IS ON A WALKER AND CAN'T MOVE AS QUICKLY
19:10:58	ENRTE	7263/CDP1	BC001
19:11:12	INFO	8420/CTR42	Comment: RP ADV THAT HER LUNGS ARE FILLING UP WITH SMOKE
19:12:06	INFO		Comment: RP ADV THAT SOMETHING SEEMED TO SPLASHED ON HER HEAD
19:13:14	DISPER	7263/CDP1	TE039
19:14:54	REQUST	7339/CSP15	Rtype: HCP ReqReason: MEDICAL -Company: LN5 -Location: 13802 ROCKRIDGE RD, LKN
19:14:57	INFO	8420/CTR42	Comment: RP ONLY ADV THAT SMOKE IS IN THE HOME BUT SHE CAN'T SEE ANY FLAMES
19:15:12	INFO		Comment: RP ADV THAT THIS IS A LOG HOME WITH TIN ROOF
19:15:40	MISC	7890/CDP7	Comment: TOT LAKELAND ELECTRIC /SB7890
19:15:58	DISP	8285/CDP6	EN023 Operator: F3921 F1204 F18729 OperNames: SHEROUSE,KEITH; JONES,JOE; HARRIS,LEE
19:16:01	ENRTE		EN023
19:18:19	INFO	8420/CTR42	Comment: RP ADV THAT IT IS HARD FOR HER TO GET UP W/O ASSISTANCE
19:18:29	NOTIFY	7339/CSP15	Notified: LIFENET ON STANDBY//JH7339
19:19:01	INFO	8420/CTR42	Comment: RP IS WORRIED SHE CAN'T GET UP WHILE HAVING THE PHONE IN HER HAND
19:22:38	INFO		Comment: RP ADV THAT HER DOOR IS UNLOCKED
19:22:47	ONSCN	7263/CDP1	EN006 Comment: LARGE RESIDENTIAL STRUCTURE FIRE,WORKING FIRE, LAST DRIVEWAY BEFORE THE BRIDGE
19:22:52	IC		EN006 IUnit: EN006
19:23:12	INFO	8420/CTR42	Comment: RP ADV THAT SHE CAN'T SEE ANYTHING IN THE HOME DUE TO THE SMOKE
19:23:52	NOTIFY	7339/CSP15	Notified: SIG PAGE
19:24:27	DISP	7890/CDP7	TE006

19:24:33	MISC	7263/CDP1	Comment: HEAVY FLAMES AND SMOKE, SETTING UP A COURTYARD LAY FOR DEFENSIVE ATTACK
19:24:53	MISC		Comment: ACCOUNTABILITY ON THE ALPHA SIDE OF THE ENGINE
19:26:21	INFO	8420/CTR42	Comment: RP IS IN THE DINING ROOM STILL
19:26:30	ONSCN	7263/CDP1	EN023
19:26:43	INFO	8420/CTR42	Comment: RP SEES FIRE NOW
19:26:51	MISC	7263/CDP1	Comment: HALF INVOLVED AT THIS TIME
19:26:53	INFO	8420/CTR42	Comment: RP IS PANICKING
19:27:05	INFO		Comment: RP IS SCREAMING
19:27:36	MISC	7263/CDP1	Comment: DEFENSIVE ATTACK
19:27:38	*ONSCN	F25684/PS0210	MR006
19:27:42	ONSCN	7263/CDP1	MR006
19:28:03	INFO	8420/CTR42	Name: REDACTED Contact?: Y Comment: RP IS NO LONGER RESPONDING TO X37
19:28:20	INFO		Comment: X37 HEARS FIRE CRACKLING BUT NO RESPONSE
19:29:21	ONSCN	7263/CDP1	BC001
19:29:50	ONSCN		BC003
19:30:12	*ONSCN	F5019/PS0186	SQ007
19:30:46	INFO	8420/CTR42	Comment: RP STILL NOT RESPONDING TO X37
19:30:56	CHANGE		District: TC8-->WEST Comment: Fire ProQA processing complete
19:30:59	INFO		Comment: STILL LL
19:31:54	REDIR	8285/CDP6	District: WEST-->TC8
19:32:07	MISC	7263/CDP1	Comment: POWER LINE DOWN ON THE DELTA SIDE OF THE STRUCTURE
19:33:23	ICX		EN006
19:33:27	IC		BC001 ICUnit: BC001
19:33:47	DISP	7890/CDP7	TE422
19:34:03	CLEAR		TE006 Dispo: COM
19:34:26	MISC	7263/CDP1	Comment: LKLD ELECTRIC JUST ARRIVED
19:34:42	ENRTE		TE422
19:35:40	ONSCN		EN039
19:36:54	DISPER	7890/CDP7	MD231 Operator: F26999 F26883 OperNames: BENTZ, ERIC; DELUCIA, DEVIN
19:37:02	INFO	8420/CTR42	Comment: LINE DEAD NOW//NO FURTHER RESPONSE
19:37:10	NOMORE		

19:37:21	ONSCN	7263/CDP1	TE039
19:38:31	DISP	7890/CDP7	AT019 Operator: F26422 OperNames: PEREZ,ANDREW
19:39:24	MISC		MD231 Comment: TAKING FF ON 231 AND PLACING THEM ON BR023
19:39:31	MISC	7263/CDP1	Comment: POWER SECURED
19:39:43	MISC		Comment: MEDIUM SIZED WOOD FRAM STRUCTURE, FULLY INV,DEFENSIVE MODE AT THIS TIME, POWER LINE DOWN ON DELTA SIDE,NO ACCESS TO FIRE TRUCKS DOWN THIS ROAD,COURTYARD LINE LAID
19:41:34	MISC		Comment: CA006 ALPHA SIDE OPERATIONS
19:45:33	ENRTE		AT019
19:50:02	-ASSOC		Service: P Event: #S183271693 Signal: LAW Agency: PCSO Comment: LAW NEEDED FOR TRAFFIC CONTROL
19:50:21	MISC		Comment: FIRE STOPPED TO THE WOODS ON THE BRAVO SIDE, HALF OF STRUCTURE COLLAPSED AT THIS TIME, TRYING TO STOP FIRE FROM GOING TO DELTA SIDE TO THE WOODS
19:50:35	ASSOC	6442/CDP19	Service: P Signal: LAW-->S50
19:53:02	DISP	7890/CDP7	TE015
19:53:02	DISP		TE004
19:53:33	ENRTE		TE015
19:54:03	ENRTE	7263/CDP1	TE004
19:55:15	DISP		BR023
19:55:18	ENRTE		BR023
19:55:21	ONSCN		BR023
19:55:55	*ONSCN	F26999/PS0196	MD231
20:03:41	MISC	7890/CDP7	Comment: STANDBYS PER BC007: EN028 - NORTH LAKELAND / EN005 - ZONE 39 / EN017 - ZONE 5
20:04:54	ONSCN	7263/CDP1	TE422
20:07:31	MISC		Comment: GOOD KNOCKDOWN ON THE FIRE AT THIS TIME
20:16:52	MISC		Comment: STILL IN DEFENSIVE TACTICAL OPERATION, STILL HEAVY FLAMES FROM THE STRUCTURE,STILL WORKING ON ESTABLISHING PERMANENT WATER SUPPLY,ALL PERSONNEL ACCOUNTED FOR, NO ADDITIONAL RESOURCES NEEDED EXCEPT FOR THE ONES RESPONDING
20:18:57	MISC		Comment: BR023 BACK OUT ON THE HARD ROAD STAGING
20:19:20	MISC		Comment: PAR 3 ON THE ALPHA SIDE

20:21:35	MISC		Comment : DOLLAR STORE NEXT TO CIRCLE K ON WEST END WILL BE WHERE THE CLOSEST HYDRANT IS LOCATED
20:22:23	MISC		Comment : CLOSEST HYDRANT IS BY CYPRESS LAKES
20:30:39	ONSCN		TE015
20:42:42	MISC		Comment : BC001 PHONE CONSULTED WITH SFM'S OFFICE, WILL CALL THEM BACK WHEN NEEDED TO RESPOND TO THE SCENE
20:44:18	MISC		Comment : HYDRANT AT INTERSECTION OF BIG CYPRESS BLVD/FIRESTONE WAY, ON THE LEFT AS YOU COME IN
20:45:01	ONSCN		TE004
20:45:36	MISC		Comment : BRUSH FIRE CONTAINED ON ALPHA/BRAVO SIDE//SMALL BRUSH FIRE MAKING ITS WAY TO THE CHARLIE SIDE
20:48:00	ONSCN	7890/CDP7	AT019 Comment : PER AVL
20:48:09	CONTCT		BC001 EN006 AT019 BC003 BR023 EN023 EN039 MD231 MR006 SQ007 Timer : 300
20:48:09	CONTCT		TE004 TE015 TE039 TE422 Timer : 300
20:55:12	MISC	7263/CDP1	Comment : PAR 5 ALPHA SIDE
21:18:16	MISC	4606/CSP16	Comment : VERIZON: 1906 TOWER AT 14600 ROCKRIDGE RD DEVICE IS 1.31 MILES IN A SW DIRECTION: LAT 28.24620 LONG: -81.96320 SUBSCRIBER: REDACTED 13802 ROCKRIDGE RD, LAKELAND
21:18:24	DISPER	7890/CDP7	FC506 Operator : F2324 F0121 OperNames : VITTON,RAF; BALL,EVERETT
21:20:27	MISC	4606/CSP16	Comment : LAT AND LONG SHOWING NEAR 13616 MICHELLE LEE LOP, LKN
21:22:24	MISC	7263/CDP1	Comment : TE039 IS LEVEL ONE ON THE HARD ROAD
22:15:13	CLEAR		TE422
22:17:03	ONSCN		FC506
22:26:52	MISC		Comment : CONFIRMATION OF ONE DECEASED IN THE RESIDENCE
22:54:12	CONTCT	7890/CDP7	FC506 Timer : 300
22:59:59	CLEAR	7263/CDP1	TE015
23:50:43	CLEAR	8285/CDP6	FC506 Dispo : COM
[11/24/2018]			
01:48:36	CONTCT	7890/CDP7	BC001 EN006 AT019 BC003 BR023 EN023 EN039 MD231 MR006 SQ007 Timer : 300
01:48:36	CONTCT		TE004 TE039 Timer : 300
03:16:27	OK	7263/CDP1	BC001 EN006 AT019 BC003 BR023 EN023 EN039 MD231 MR006 SQ007
03:16:27	OK		TE004 TE039
03:16:40	MISC		Comment : COMPLETING SAVAGE AND OVERHAUL

03:23:34	MISC	7890/CDP7	Comment : EN036 MOVED TO STANDBY FOR POLK CITY PER BC002 /SB7890
03:27:23	CONTCT	7263/CDP1	BC001 EN006 AT019 BC003 BR023 EN023 EN039 MD231 MR006 SQ007 Timer : 60
03:27:23	CONTCT		TE004 TE039 Timer : 60
04:15:47	CLEAR	7890/CDP7	MD231
04:24:40	CLEAR	7263/CDP1	SQ007
04:26:41	CLEAR		MR006
04:29:09	CLEAR		AT019
04:40:46	CLEAR		TE039
04:40:51	CLEAR		EN039
04:45:19	CLEAR		EN023 Dispo : COM Comment : COM
04:46:15	CLEAR		BC003
04:47:23	CLEAR		BC001
04:47:23	-ICX		BC001
04:50:33	MISC		Comment : EN006 STAYING ONSCENE TO PRESERVE THE CUSTODY OF THE SCENE, FIRE MARSHALL COMING BACK OUT AT DAYLIGHT, A COUPLE OF DIFFERENT TRUCKS WILL ROTATE TO HELP PRESERVE THE CUSTODY OF THE SCENE
05:14:47	CLEAR	8285/CDP6	EN006
05:17:23	CLEAR	7890/CDP7	BR023
05:23:07	CONTCT		TE004 Timer : 150
05:48:00	CONTCT		TE004 Timer : 300
05:52:01	ASSOC	6442/CDP19	Service : P Signal : S50-->S7
07:48:11	CLEAR	7522/CCP13	TE004 Dispo : COM
07:48:11	-CLEAR		
07:48:11	CLOSE		
07:49:57	RO	7352/CDP8	
07:49:59	SELECT		
07:50:06	DISP		BR006
07:50:06	-PRIU		BR006
07:50:06	-HOLD		
07:50:08	ONSCN		BR006
07:50:19	CONTCT		BR006 Timer : 60
08:52:07	CONTCT		BR006 Timer : 60

09:41:41	BACKER		EN006 UnitID : BR006 Location : 13802 ROCKRIDGE RD, LKN Operator : F7100 F7390 F18802 OperNames : WALSH,DEREK; GARTRELL,MARY; DURANTE,ALEXANDER
09:56:18	ONSCN	7520/CDP14	EN006
09:56:43	CONTCT		BR006 EN006 Timer : 60
11:07:48	CONTCT	7352/CDP8	BR006 EN006 Timer : 60
12:09:43	CONTCT	7520/CDP14	BR006 EN006 Timer : 90
12:52:14	CLEAR		BR006 EN006
12:52:14	-CLEAR		
12:52:14	CLOSE		